ISSN E: 3006-1466
ISSN P: 3006-1458
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
CJSSR
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
Vol.04 No.01 (2026)

DARK DATA & THE HIDDEN ENVIRONMENTAL COST OF CLOUD

LABIQA KHALIL
Lecturer, Department of English, CIMS Nursing College (CNC), Multan, Pakistan.
EMAIL: *misslabi296@gmail.com*
MEHWISH BASIT
BScN Student, Department of English, CIMS Nursing College CNC Multan, Pakistan. ***EMAIL:*** *mehwishbasit10@gmail.com*
SAMREEN SARWAR
BScN Student, Department of English, CIMS Nursing College CNC Multan, Pakistan. ***EMAIL:*** *samreensarwar514@gmail.com*
SUMAIRA NOOR
BScN Student, Department of English, CIMS Nursing College CNC Multan, Pakistan. ***EMAIL:*** *sumairanoor7806@gmail.com*

ABSTRACT
Modern digital transformation relies heavily on cloud infrastructure operating under the friction-free assumption that digital storage carries zero physical weight or environmental cost. However, data that is routinely gathered, processed, and preserved but never retrieved or analyzed—termed dark data—must be continuously powered, replicated, and thermally regulated in hyperscale data centers 24/7/365. This comprehensive investigation examines the architectural drivers of dark data accumulation, quantifies its multi-dimensional environmental footprint across electricity grids, freshwater evaporative systems, and carbon emissions, and presents an actionable enterprise-to-individual governance model. Key findings establish that dark data constitutes approximately 52% of total enterprise cloud repositories globally, consuming nearly 460 TWh of electricity annually and driving millions of metric tons of Scope 2/3 emissions without producing strategic value.

Keywords: *Dark Data, Sustainable Computing, Cloud Energy Demand, Data Center Water Consumption, ROT Data, Carbon Footprint Mitigation.*

52% **GLOBAL DARK DATA SHARE**	**460 TWh** **2022 ANNUAL POWER DRAW**	**~2,000 kWh** **ENERGY/TB/YEAR**	**1.35 kg** **CO2E/GB** **(3X REDUNDANCY)**

1. INTRODUCTION & BACKGROUND

The rapid proliferation of cloud computing, IoT devices, automated logging frameworks, and ultra-high-definition media creation has resulted in exponential data growth. The aggregate volume of global data is projected to surpass 180 Zettabytes. While software interfaces depict file storage as invisible, every byte stored in cloud environments resides on physical solid-state or spinning magnetic media located in hyperscale facilities spanning hundreds of thousands of square feet.

A significant portion of this global digital estate consists of dark data: information assets that organizations or individuals collect, process, and retain during standard operational workflows, but fail to utilize for analytics, strategic planning, or operational value. Because data centers demand continuous uninterruptible power supply (UPS) systems and cooling infrastructure to

ISSN E: 3006-1466
ISSN P: 3006-1458
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
CJSSR
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
Vol.04 No.01 (2026)


avoid thermal failure, dark data imposes a continuous energy and carbon tax on physical global ecosystems.

2. TAXONOMY & STRUCTURAL COMPOSITION OF ENTERPRISE DATA

Enterprise data assets can be categorized into three operational classes: Active Value Data, Redundant/Obsolete/Trivial (ROT) Data, and Unindexed Dark Data.

Data Category	Global Volume %	Defining Characteristics & Examples	Operational Utility
Dark Data	52%	Unstructured server logs, unindexed telemetry, raw image buffers, single-use IoT streams, orphaned accounts.	Zero active utility; high ongoing storage overhead.
ROT Data	28%	Redundant duplicate downloads, outdated policy drafts, obsolete system backups, trivial employee emails.	Negative utility; inflates regulatory & security risk.
Active Business Data	20%	Structured customer databases, active codebase repositories, financial records, analytical models.	High business value; required for daily operations.

Table 1: Classification and operational breakdown of global enterprise data repositories.




3. QUANTIFYING THE ENVIRONMENTAL OVERHEAD

The physical infrastructure supporting dark data impacts three major environmental domains: grid electricity capacity, freshwater cooling consumption, and net carbon emissions.


ISSN E: 3006-1466
ISSN P: 3006-1458
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
CJSSR
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
Vol.04 No.01 (2026)

Impact Vector	Technical Mechanism & Operational Context	Quantified Impact Baseline
1. Electricity Grid Demand	Constant power delivery required for drive spinning, solid-state cell refresh, memory bus power, and facility HVAC units (approx. 2 kWh/GB/year).	1 TB dark data ≈ 2,000 kWh/year (Equivalent to 1 domestic refrigerator running 24/7/365).
2. Freshwater Consumption	Evaporative cooling towers evaporate high-purity water to dissipate high rack heat densities and prevent thermal shutdown.	1 hyperscale facility consumes 3 to 5 million gallons/day (Equivalent to a town of 30,000-50,000 residents).
3. Multi-Zone Redundancy	Cloud providers replicate primary data across 3 separate availability zones to guarantee high availability, tripling physical storage footprint.	1.35 kg CO2e/GB/year under standard 3x multi-zone replication compared to single-copy models.

Table 2: Quantification of multi-dimensional environmental impact vectors.



ISSN E: 3006-1466
ISSN P: 3006-1458
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
CJSSR
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
Vol.04 No.01 (2026)



4. PSYCHOLOGICAL & ECONOMIC DRIVERS OF DARK DATA

The persistent accumulation of dark data is sustained by structural economic incentives and cognitive biases:

- **Distorted Pricing Metrics:** Cloud providers offer raw storage at extremely low nominal rates (approx. $0.02/GB/month), shielding users from the true ecological cost.
- **Loss Aversion & Deletion Anxiety:** Decision-makers fear purging historical datasets due to speculative future analytical value.
- **Automated Background Synchronization:** Mobile operating systems and enterprise tools default to continuous multi-device backups of raw media and logs.

5. MULTI-TIERED STRATEGIC MITIGATION FRAMEWORK

Remediating dark data offers an immediate, high-efficiency pathway for carbon reduction without diminishing active operational capacity.

Implementation Domain	Actionable Policy & Technological Protocol	Expected Environmental Benefit
Individual Level	• Conduct annual digital audits to purge photo buffers and duplicate media. • Disable auto-cloud mirroring for secondary applications. • Migrate long-term non-essential files to cold offline storage.	Reduces individual digital carbon footprint by up to 35% annually.
Enterprise Level	• Deploy AI-driven Data Lifecycle Management (DLM) to index ROT/Dark data. • Enforce automatic retention policies purging raw server logs after 2-3 years. • Transition workloads exclusively to 100% renewable-matched cloud regions.	Cuts enterprise cloud storage costs by 40% while directly reducing Scope 2/3 emissions.
Policy & Governance	• Require mandatory reporting of Power Usage Effectiveness (PUE) and Water Utilization Effectiveness (WUE). • Introduce regulatory standards compelling cloud providers to disclose dark data metrics.	Establishes global benchmark accountability for data center thermal efficiency.

ISSN E: 3006-1466
ISSN P: 3006-1458
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
CJSSR
CONTEMPORARY JOURNAL OF SOCIAL SCIENCE REVIEW
Vol.04 No.01 (2026)

Table 3: Multi-tiered strategic framework for enterprise and individual dark data reduction.

6. CONCLUSION

Dark data represents the digital equivalent of powering lights in empty, abandoned buildings around the clock. It produces zero economic value while actively consuming limited electricity, clean freshwater, and carbon budgets. Aligning digital storage habits with physical sustainability principles establishes a clear formula: Less Dark Data Storage = Lower Grid Load = Reduced Carbon Footprint.

REFERENCES

Gartner. (2013). How to reduce dark data to gain competitive advantage. Gartner Research Publications. https://www.gartner.com

International Energy Agency (IEA). (2023). Data Centers and Data Transmission Networks: Tracking Clean Energy Progress. IEA Paris Report. https://www.iea.org

United Nations Environment Programme (UNEP). (2022). The Environmental Impact of Digital Technologies and E-Waste Management. United Nations. https://www.unep.org