INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

ANTIBIOTIC RESISTANCE AND ITS IMPACT ON GLOBAL PUBLIC HEALTH

Rafey Konain
BS English Literature, Institute of English Studies (IES), University of the Punjab Lahore.

ABSTRACT

Antibiotic resistance has emerged as one of the most serious challenges facing global public health, threatening the effectiveness of medicines used to prevent and treat bacterial infections. It occurs when bacteria develop the ability to survive and multiply despite exposure to antibiotics that previously controlled or eliminated them. The increasing misuse and overuse of antibiotics in human medicine, veterinary practices, agriculture, and other sectors have accelerated the development and spread of resistant bacterial infections. This situation creates significant difficulties for healthcare professionals because common infections may become more complicated, expensive, and difficult to treat. Antibiotic resistance also increases the risk of prolonged hospitalization, treatment failure, medical complications, and preventable deaths. According to the World Health Organization (WHO, 2025), approximately one in six laboratory-confirmed bacterial infections worldwide in 2023 was resistant to antibiotic treatments. The problem is particularly serious in developing countries where limited healthcare facilities, inadequate laboratory services, poor infection prevention practices, and unrestricted antibiotic availability contribute to the spread of resistance. This research examines the causes, consequences, and global public health implications of antibiotic resistance. It also explores the importance of antimicrobial stewardship, infection prevention, vaccination, laboratory surveillance, public awareness, and international cooperation. The study concludes that controlling antibiotic resistance requires coordinated efforts involving healthcare professionals, governments, researchers, agricultural sectors, and international health organizations through a comprehensive One Health approach.

KEYWORDS

Antibiotic Resistance, Antimicrobial Resistance, Global Public Health, Bacterial Infections, Antibiotic Misuse, Drug Resistance, Antimicrobial Stewardship, Infection Prevention, Public Health Policy, One Health Approach.

INTRODUCTION

Antibiotic resistance has become a major global public health concern because it reduces the effectiveness of medicines used to treat bacterial infections. Antibiotics have played an essential role in modern medicine by helping healthcare professionals manage infections, prevent complications, and improve patient survival. However, the increasing development of resistant bacteria is threatening these medical achievements and creating serious difficulties for healthcare systems worldwide. Antibiotic resistance develops when bacteria acquire genetic changes or resistance mechanisms that enable them to survive exposure to particular antimicrobial medicines. These bacteria can continue multiplying and spreading even when patients receive antibiotics that were previously effective against them. As a result, infections may become more

INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

difficult to treat, requiring alternative medicines, longer treatment periods, and additional medical attention. The World Health Organization (WHO, 2025) identifies antimicrobial resistance as a growing threat that undermines essential medical treatments and increases the risks associated with common bacterial infections.The increasing misuse and overuse of antibiotics are among the most important factors contributing to the development of antibiotic resistance. Such practices create unnecessary exposure to antimicrobial medicines and increase opportunities for resistant bacteria to survive and multiply. Patients who stop prescribed treatment without medical advice, share antibiotics with others, or use leftover medicines may also contribute to inappropriate antibiotic consumption. Ho et al. (2025) explain that controlling antimicrobial resistance requires a comprehensive understanding of antibiotic use, resistance mechanisms, infection prevention, and antimicrobial stewardship. Therefore, responsible antibiotic use is essential for protecting the effectiveness of existing medicines.Antibiotic resistance also creates serious consequences for patients and healthcare institutions because infections caused by resistant bacteria can require more complicated treatment procedures. Patients may experience prolonged illness, repeated medical examinations, extended hospital stays, and increased healthcare expenses. In severe cases, resistant bacterial infections can lead to sepsis, organ damage, treatment failure, and death. The problem becomes particularly dangerous among newborns, older adults, patients undergoing surgery, and individuals with weakened immune systems. According to the GBD 2021 Antimicrobial Resistance Collaborators (2024), bacterial antimicrobial resistance was associated with approximately 4.71 million deaths globally in 2021, including approximately 1.14 million deaths directly attributable to resistance. These findings demonstrate that antibiotic resistance is not simply a medical problem but a major international health challenge that affects population survival, healthcare resources, and social development.

The global distribution of antibiotic resistance is unequal, with developing countries frequently facing additional challenges because of limited healthcare infrastructure and inadequate disease surveillance. Many low-income and middle-income countries experience difficulties in providing reliable diagnostic facilities, trained laboratory personnel, quality-assured medicines, and effective infection prevention services. In some regions, antibiotics can be obtained without appropriate prescriptions, while limited public awareness encourages unnecessary self-medication. Poor sanitation, overcrowded living conditions, unsafe water supplies, and insufficient hygiene practices also contribute to the transmission of bacterial infections. The World Health Organization (2025) reported that antibiotic resistance was particularly high in the South-East Asian and Eastern Mediterranean regions, where approximately one in three reported bacterial infections was resistant to antibiotics. This situation highlights the need for stronger healthcare systems, improved laboratory facilities, and accessible medical services in countries experiencing a high burden of resistant infections.Another important factor contributing to antibiotic resistance is the inappropriate use of antimicrobial medicines in animals and agricultural production. Antibiotics are used in veterinary medicine to treat bacterial infections

INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

and protect animal health, but their inappropriate or excessive use can contribute to the development of resistant bacteria. These resistant microorganisms may spread through direct contact with animals, contaminated food products, agricultural environments, and water systems. Human health, animal health, and environmental conditions are closely interconnected, making antibiotic resistance a problem that cannot be controlled through human healthcare interventions alone. The World Health Organization, Food and Agriculture Organization, United Nations Environment Programme, and World Organisation for Animal Health (2026) emphasize the importance of coordinated international action across human health, animal health, agriculture, and environmental sectors. This integrated perspective supports the One Health approach, which recognizes that controlling antimicrobial resistance requires cooperation across multiple fields.

Antibiotic resistance also places a substantial financial burden on individuals, hospitals, governments, and national healthcare systems. Resistant infections frequently require more expensive medicines, additional laboratory investigations, specialized treatment, and longer periods of hospitalization. These expenses can create serious financial difficulties for families and increase pressure on public healthcare budgets. Healthcare institutions may also experience increased workloads because patients with resistant infections require additional isolation procedures, infection control measures, and professional attention. Lewnard et al. (2024) demonstrated that improving infection prevention and control, expanding access to safe water and sanitation, and strengthening vaccination programmes could prevent a substantial number of deaths associated with bacterial antimicrobial resistance in low-income and middle-income countries. Governments should strengthen antibiotic regulations, improve access to quality-assured medicines, and support research into new antimicrobial treatments and alternative therapeutic approaches. The WHO Global Antimicrobial Resistance and Use Surveillance System (GLASS) plays an important role in collecting standardized information and monitoring resistance patterns across countries. The WHO (2025) reported that its surveillance analysis included more than 23 million laboratory-confirmed cases, demonstrating the importance of reliable international data for understanding resistance trends. Therefore, this research examines antibiotic resistance and its impact on global public health, focusing on its major causes, health consequences, socioeconomic effects, prevention strategies, and the importance of coordinated international action.

RESEARCH OBJECTIVES

1. To examine the major causes and contributing factors of antibiotic resistance worldwide.
2. To evaluate the impact of antibiotic resistance on global public health and healthcare systems.
3. To identify effective strategies for preventing and controlling antibiotic resistance.

INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

RESEARCH QUESTIONS

1. What are the major causes and contributing factors of antibiotic resistance worldwide?
2. How does antibiotic resistance affect global public health and healthcare systems?
3. Which strategies can effectively prevent and control the spread of antibiotic resistance?

LITERATURE REVIEW

Antibiotic resistance has received considerable attention in international medical and public health research because of its increasing influence on the treatment of bacterial infections. The GBD 2021 Antimicrobial Resistance Collaborators (2024) conducted a comprehensive systematic analysis of the global burden of bacterial antimicrobial resistance between 1990 and 2021 and developed forecasts extending to 2050. Their research examined resistance-related deaths, geographical differences, bacterial pathogens, and future health consequences. The findings estimated that approximately 4.71 million deaths were associated with bacterial antimicrobial resistance in 2021, while approximately 1.14 million deaths were directly attributable to resistance. The study also identified substantial differences in resistance-related mortality across age groups and geographical regions. Furthermore, its projections highlighted the possibility of increasing mortality in the coming decades if effective preventive measures are not implemented. This research provides important evidence that antibiotic resistance is a major international health problem requiring long-term public health planning, improved treatment access, and effective prevention programmes.Ho et al. (2025) examined the epidemiology, mechanisms, prevention, and management of antimicrobial resistance in their review titled Antimicrobial resistance: A concise update. Their research discusses the major factors responsible for the development and spread of resistant microorganisms, including inappropriate antimicrobial use, inadequate infection prevention, and insufficient surveillance. The authors emphasize that resistance is influenced by both individual behavior and wider population-level conditions. Their review also highlights the importance of antimicrobial stewardship, improved diagnostic methods, vaccination, and the development of new antimicrobial treatments. In addition, the researchers discuss emerging non-antibiotic therapeutic approaches and the potential contribution of artificial intelligence to resistance surveillance and antimicrobial research. Their findings demonstrate that controlling antibiotic resistance requires a combination of medical, technological, and public health interventions rather than relying on the development of new medicines alone.

Lewnard et al. (2024) investigated the potential reduction in bacterial antimicrobial resistance through existing public health interventions in low-income and middle-income countries. Their evidence review and modelling analysis examined the possible benefits of improving infection prevention and control, expanding access to safe water and sanitation, and increasing vaccination coverage. The study estimated that improved infection prevention and control programmes in

INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

healthcare settings could prevent at least 337,000 antimicrobial resistance-associated deaths annually. It also estimated that universal access to high-quality water, sanitation, and hygiene services could prevent approximately 247,800 such deaths, while childhood vaccination programmes could prevent approximately 181,500 deaths. These findings demonstrate that resistance prevention should extend beyond antibiotic prescribing practices and include improvements in public health infrastructure. The research provides important evidence that preventive interventions can reduce bacterial infections and unnecessary antibiotic consumption, particularly in countries with limited healthcare resources.

The World Health Organization (2025) published the Global antibiotic resistance surveillance report 2025, presenting updated international evidence about antibiotic resistance patterns and their geographical distribution. The report examined more than 23 million laboratory-confirmed bacterial infection cases reported through the Global Antimicrobial Resistance and Use Surveillance System. It included information from 104 countries reporting data for 2023 and assessed resistance across different bacterial pathogens, infection types, and antibiotic combinations. The findings indicated that approximately one in six laboratory-confirmed bacterial infections worldwide was resistant to antibiotic treatments in 2023. The report also identified increasing resistance in more than 40% of the monitored pathogen-antibiotic combinations between 2018 and 2023. These findings demonstrate the importance of strengthening national surveillance systems, improving laboratory reporting, and developing public health policies based on reliable resistance data.

The Lancet Series on antimicrobial resistance (2024), particularly The scope of the antimicrobial resistance challenge, examined the broader health and socioeconomic consequences of resistant bacterial infections. The research highlighted that bacterial infections contribute significantly to global mortality and that drug-resistant pathogens create additional difficulties for effective medical treatment. It explained that antibiotic resistance affects different populations throughout their lives and creates risks in hospitals, communities, and other healthcare environments. The study also discussed the relationship between antimicrobial resistance, access to effective medicines, healthcare quality, and international development. Its findings indicate that resistance can undermine progress in modern medicine and create additional challenges for achieving global health objectives. The research emphasizes the importance of strengthening healthcare systems, improving access to appropriate antibiotics, and implementing coordinated strategies to reduce resistant infections.The World Health Organization, Food and Agriculture Organization, United Nations Environment Programme, and World Organisation for Animal Health (2026) examined international progress in implementing the Global Action Plan on Antimicrobial Resistance through their second quadripartite biennial report. Their research highlights the interconnected nature of antimicrobial resistance across human health, animal health, food production, agriculture, and environmental systems. The report emphasizes that resistant microorganisms can spread through multiple pathways, making cooperation between different

INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

sectors essential for effective prevention. It also discusses the importance of national action plans, surveillance programmes, responsible antimicrobial use, and international partnerships. The report highlights the continuing global burden of bacterial resistance and the need for stronger implementation of existing prevention strategies. Its findings support the One Health approach as an important framework for addressing antimicrobial resistance through coordinated national and international efforts.

The World Health Organization (2025) also highlighted the growing importance of antibiotic resistance through its global surveillance findings and recommendations for public health action. Its research demonstrates that resistance patterns vary considerably between geographical regions and bacterial pathogens. The organization emphasizes that reliable laboratory testing is necessary to identify resistant infections and guide appropriate treatment decisions. It further identifies responsible antibiotic consumption, access to quality-assured medicines, effective infection prevention, and vaccination as essential components of resistance control. The WHO report indicates that many countries continue to experience limitations in surveillance coverage and laboratory capacity, reducing their ability to identify and respond to resistant infections effectively. These findings demonstrate that international cooperation, stronger healthcare infrastructure, and improved public health policies are necessary to reduce the spread of antibiotic resistance. Collectively, the reviewed literature establishes that antibiotic resistance is a complex global challenge involving medical, economic, environmental, and social factors. It also demonstrates the importance of combining responsible antibiotic use with preventive healthcare interventions, scientific research, and international cooperation.

METHODOLOGY

This research adopts a qualitative approach to examine antibiotic resistance and its impact on global public health. The study is based on secondary information collected from previously published academic research articles, systematic reviews, scientific reports, and international public health publications. Relevant literature published between 2024 and 2026 has been considered to understand recent developments, global resistance patterns, and current prevention strategies. Academic information is identified through Google Scholar and recognized medical and public health publications. The selected literature focuses on the causes of antibiotic resistance, bacterial resistance mechanisms, inappropriate antibiotic consumption, healthcare-associated infections, and the consequences of resistant bacterial diseases. Particular attention is given to research published by international health organizations and established scientific journals.The research methodology involves reviewing and organizing relevant academic information according to the major themes of the study. Published research is examined to understand how antibiotic resistance develops and spreads among human populations.

INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

The study considers factors such as unnecessary antibiotic prescriptions, self-medication, incomplete treatment, inappropriate veterinary antibiotic use, poor sanitation, and inadequate infection prevention practices. It also reviews the medical and socioeconomic consequences of resistance, including treatment failure, prolonged hospitalization, increased healthcare expenditure, and preventable mortality. Information from different research publications is compared to identify common findings, important developments, and differences in reported evidence. This approach provides a broader understanding of antibiotic resistance and its influence on healthcare systems in different geographical regions.The methodology also examines existing prevention and control strategies recommended by researchers and international health organizations. These strategies include antimicrobial stewardship programmes, improved laboratory surveillance, responsible antibiotic prescribing, vaccination, infection prevention and control, public awareness, and stronger national health policies. The study gives particular attention to the One Health approach because antibiotic resistance is connected with human health, animal health, agricultural activities, and environmental conditions. Published recommendations and research findings are evaluated to understand their potential contribution to reducing resistance and protecting public health. Through this approach, the research develops a comprehensive understanding of the problem while identifying areas requiring further scientific investigation and international cooperation.

RESEARCH DESIGN

The present study follows a descriptive and analytical research design based on secondary academic literature. This design is suitable because the research aims to explain the causes, consequences, and prevention of antibiotic resistance through the examination of existing scientific evidence. The descriptive component presents the major characteristics of antibiotic resistance, including its development, transmission, geographical distribution, and impact on bacterial infections. The analytical component examines the relationship between antibiotic misuse, healthcare practices, environmental conditions, and the increasing development of resistant microorganisms. This research design provides an organized framework for understanding antibiotic resistance as a global public health challenge.The research design also focuses on the major areas affected by antibiotic resistance, including hospitals, community healthcare settings, veterinary medicine, agriculture, and environmental systems. These areas are examined to understand how resistant bacteria develop and spread through different pathways. Particular attention is given to the effects of resistant infections on vulnerable populations, healthcare institutions, and countries with limited medical resources. The study also considers international surveillance information to understand differences in resistance patterns and the importance of laboratory-based monitoring. This approach helps establish connections between individual antibiotic consumption practices and wider public health consequences.A comparative and thematic approach is incorporated to examine the prevention strategies discussed in different academic publications. The research compares the importance of antimicrobial stewardship,

INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

infection prevention, vaccination, sanitation, public awareness, and international health policies. It also examines how existing interventions may reduce the burden of resistant infections and improve the effectiveness of healthcare services. The research design considers the One Health framework to understand the importance of cooperation between medical, veterinary, agricultural, and environmental sectors. Through this design, the study provides a structured examination of existing knowledge and identifies important priorities for controlling antibiotic resistance worldwide.

DATA ANALYSIS

The data analysis is based on a qualitative examination of information collected from selected academic publications, systematic reviews, and international health reports. The collected information is organized into major themes, including antibiotic misuse, resistance development, global disease burden, healthcare consequences, economic effects, and prevention strategies. These themes are examined to identify common findings and important patterns across the reviewed literature. Particular attention is given to the global burden estimates reported by the GBD 2021 Antimicrobial Resistance Collaborators (2024) and the surveillance findings published by the World Health Organization (2025). Published findings are reviewed to understand how resistant infections contribute to treatment failure, prolonged hospitalization, increased medical expenses, and additional pressure on healthcare institutions. The research also analyzes the relationship between inappropriate antibiotic consumption, limited diagnostic facilities, inadequate sanitation, and the spread of resistant bacteria. Lewnard et al. (2024) provide important evidence concerning the potential benefits of infection prevention, improved sanitation, and vaccination programmes in reducing resistance-associated deaths. These findings are considered alongside international recommendations to understand the importance of preventive public health interventions.Finally, the research compares different prevention and control strategies to identify their potential contributions to reducing antibiotic resistance. Information related to antimicrobial stewardship, laboratory surveillance, responsible prescribing, infection control, vaccination, and the One Health approach is analyzed according to the research objectives. The findings are interpreted by examining similarities and differences between the selected publications and identifying areas where additional action is required. The analysis emphasizes that antibiotic resistance cannot be controlled through a single intervention. Instead, effective management requires coordinated medical, social, environmental, and governmental efforts supported by reliable scientific evidence.

FINDINGS

The findings of this research indicate that antibiotic resistance is a serious and growing global public health challenge. The reviewed literature demonstrates that inappropriate antibiotic use, unnecessary prescriptions, self-medication, and inadequate treatment practices are important

INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

contributing factors to the development and spread of resistant bacteria. The findings also reveal that antibiotic resistance is increasing across different bacterial pathogens and geographical regions. According to the World Health Organization (2025), approximately one in six laboratory-confirmed bacterial infections worldwide in 2023 was resistant to antibiotic treatment. These findings demonstrate that resistance is already affecting the effectiveness of commonly used medicines and creating significant challenges for healthcare professionals.The research further indicates that antibiotic resistance has serious consequences for patients, healthcare institutions, and national economies. Resistant bacterial infections can lead to treatment failure, prolonged illness, longer hospital stays, increased medical expenses, and higher mortality risks. The burden is particularly significant among vulnerable populations and in countries with limited diagnostic and healthcare facilities.

The GBD 2021 Antimicrobial Resistance Collaborators (2024) estimated that bacterial antimicrobial resistance was associated with approximately 4.71 million deaths in 2021, demonstrating the substantial global health consequences of resistant infections. The findings also indicate that poor sanitation, inadequate infection prevention, and inappropriate antimicrobial use in human and animal health contribute to the wider spread of resistance.Another important finding is that antibiotic resistance can be controlled more effectively through coordinated prevention and public health interventions. The reviewed literature identifies antimicrobial stewardship, responsible prescribing, vaccination, improved sanitation, laboratory surveillance, and infection prevention as essential strategies. Research by Lewnard et al. (2024) demonstrates the potential of existing preventive interventions to reduce resistance-associated mortality, particularly in low-income and middle-income countries. The findings also highlight the importance of public awareness, healthcare professional training, government regulations, and international cooperation. The One Health approach is identified as an important framework for addressing resistance across human, animal, agricultural, and environmental sectors.

CONCLUSION

Antibiotic resistance represents one of the most serious challenges to modern medicine and global public health because it threatens the effectiveness of medicines used to treat bacterial infections. The findings of this research demonstrate that inappropriate antibiotic consumption, unnecessary prescriptions, self-medication, inadequate infection prevention, and excessive antimicrobial use in different sectors contribute to the development and spread of resistant bacteria. Resistant infections can increase treatment difficulties, prolong hospitalization, raise healthcare costs, and contribute to preventable deaths. The growing burden of antibiotic resistance demonstrates the urgent need for effective public health policies and responsible antimicrobial practices at national and international levels.The research also concludes that antibiotic resistance affects more than individual patients because it places significant pressure

INTERNATIONAL JOURNAL OF MEDICAL AND PHARMACEUTICAL RESEARCH

Vol.01-02-2026 E ISSN:XXXX-XXXX P ISSN:XXXX-XXXX

on healthcare institutions, national economies, and public health infrastructure. Developing countries face additional difficulties due to limited laboratory facilities, inadequate sanitation, insufficient healthcare resources, and weak surveillance systems. Therefore, prevention and early identification of resistant infections should remain important priorities for healthcare institutions and governments.In conclusion, controlling antibiotic resistance requires continuous scientific research, responsible medical practices, public awareness, and strong international cooperation. Healthcare professionals must prescribe antibiotics according to appropriate clinical guidelines, while patients should avoid unnecessary antibiotic consumption and follow professional medical advice. Governments should strengthen national surveillance systems, improve access to diagnostic facilities, regulate antimicrobial use, and support research into new treatment options. The One Health approach should also be encouraged to coordinate efforts across human health, animal health, agriculture, and environmental protection. Through these combined efforts, the international community can reduce the spread of antibiotic resistance, protect existing medicines, and support a safer and more effective healthcare future for populations worldwide.

REFERENCES

GBD 2021 Antimicrobial Resistance Collaborators. (2024). Global burden of bacterial antimicrobial resistance 1990–2021: A systematic analysis with forecasts to 2050. The Lancet, 404(10459), 1199–1226.

Ho, C. S., Wong, C. T. H., Aung, T. T., Lakshminarayanan, R., Mehta, J. S., Rauz, S., McNally, A., Kintses, B., Peacock, S. J., de la Fuente-Nunez, C., Hancock, R. E. W., & Ting, D. S. J. (2025). Antimicrobial resistance: A concise update. The Lancet Microbe, 6(1), Article 100947.

Lewnard, J. A., Charani, E., Gleason, A., Hsu, L. Y., Khan, W. A., Karkey, A., Chandler, C. I. R., Mashe, T., Khan, E. A., Bulabula, A. N. H., Donado-Godoy, P., & Laxminarayan, R. (2024). Burden of bacterial antimicrobial resistance in low-income and middle-income countries avertible by existing interventions: An evidence review and modelling analysis. The Lancet, 403(10442), 2439–2454.

Okeke, I. N., de Kraker, M. E. A., Van Boeckel, T. P., Kumar, C. K., Schmitt, H., Gales, A. C., Bertagnolio, S., Sharland, M., & Laxminarayan, R. (2024). The scope of the antimicrobial resistance challenge. The Lancet, 403(10442), 2426–2438.

World Health Organization, Food and Agriculture Organization of the United Nations, United Nations Environment Programme, & World Organisation for Animal Health. (2025). Implementing the Global Action Plan on Antimicrobial Resistance: Second quadripartite biennial report.

World Health Organization. (2025). Global antibiotic resistance surveillance report 2025. World Health Organization.

World Health Organization. (2025). WHO warns of widespread resistance to common antibiotics worldwide. World Health Organization.